GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – Allegations of irregularities in comprehensive water supply service improvement Scheme in Markapur Municipality, Prakasam District - Departmental proceedings initiated against Sri K.Rama Mohan Rao, Project Manager, APMDP and Executive Engineer, PH Division, Ongole – Articles of charges issued- Enquiry Conducted- Charges held not proved- Accepted- Further action dropped- Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.2) DEPARTMENT

G.O.RT.No. 261 **Dated: 02-06-2021.**

Read the following:-

1. From General Administration (V&E) Department, Vigilance Report No.121 (1012-12/V&E/2015), dated.28.12.2017.
2. Govt.Memo.No.984520/Vig.II.2/2018, MA&UD (Vig.II) Department, dated.22.01.2018.
3. From the ENC (PH), A.P., Guntur, Proceedings No.17424/V&E/VR.121/ CS2/2018, dt.22.02.2018.
4. Explanation of Sri K.Rama Mohan Rao, Project Manager, APMDP, Markapur and Executive Engineer, PH Division, Ongole, dt.09.07.2018 received through ENC (PH), A.P., Guntur, Letter No.17424/V&E/VR.121/CS2/2018, dated.26.09.2018.
5. G.O.Rt.No.137, MA&UD (Vig.II.2) Department, dated.19.02.2019.
6. Inquiry report from Enquiry Officer Sri T. Mohan, Superintending Engineer, PH Circle, Nellore, Lr.No.137/CON/Markapur/EQ/2019, dated.25.10.2019.
7. Govt.Memo.No.984520/Vig.II/2018, dated.22.12.2020.
8. Written representation from Sri K. Rama Mohana Rao, the then Project Manager, APMDP., & Executive Engineer, PH Division, Ongole, dated. 02.02.2021.

***

O R D E R:

Whereas, in the reference 2nd read above, Government have directed the Engineer-In-Chief (PH), A.P., Guntur to take action as deemed fit against Sri K.Rama Mohana Rao, the then Project Manager, APMDP., & Executive Engineer, PH Division, Ongole on the allegations of irregularities in comprehensive water supply service improvement Scheme in Markapur Municipality, Prakasam District.

2. Whereas, in the reference 3rd read above, the ENC (PH), A.P., Guntur has initiated disciplinary proceedings under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 duly framing articles of charges against Sri K.Rama Mohana Rao.

3. Whereas, in the reference 4th read above, the Charged Officer Sri K.Rama Mohan Rao has submitted his Written Statement of Defence denying the charges framed against him and requested to drop further action. Further, the ENC (PH) in the reference 4th read above has requested to take further action, as the Government is the competent to the cadre of Executive Engineer.

4. Whereas, Government have examined the written statement of defence submitted by the Charged officer and found not convincing, issued orders appointing Sri T.Mohan, Superintending Engineer, PH Circle, Nellore, as an Enquiry Officer to enquire into the charges framed against Sri K.Rama Mohana Rao, the then Project

(P.T.O)

Manager, APMDP., and Executive Engineer, PH Division, Ongole, vide reference 5th read above.

5. Whereas, in the reference 6th read above, the Inquiry Officer has submitted his inquiry report stating that, all the charges framed against Sri K.Rama Mohan Rao, Project Manager, APMDP and Executive Engineer, PH Division, Ongole are not held proved in the enquiry and requested the Government to take further necessary action in the matter.

6. The Government have examined the Inquiry Report in detail and decided to accept the findings submitted in the reference 6th read above. Accordingly, after following due procedure, communicated a copy of the inquiry report to Sri K.Rama Mohana Rao under Rule 21 (2) of APCS (CCA) Rules, 1991 for offering his remarks on the findings of the inquiry report, vide reference 7th read above.

7. Whereas, in the reference 8th read above, the charged officer Sri K.Rama Mohana Rao, the then Project Manager, APMDP., and Executive Engineer, PH Division, Ongole has submitted his written representation stating that, he has accepted the enquiry report and findings of the inquiry officer and requested the Government to drop the charges and to exonerate from the charges.

8. Government after careful examination of the matter and keeping in view of the findings of Inquiry Report of the Inquiry Officer and the written representation of the Charged Officer thereon, it has been decided to drop further action against Sri K.Rama Mohana Rao, the then Project Manager, APMDP., and Executive Engineer, PH Division, Ongole, since the charges framed against him are not held proved in the enquiry.

9. Accordingly, Government hereby order to drop further action against Sri K.Rama Mohana Rao, the then Project Manager, APMDP., and Executive Engineer, PH Division, Ongole, Prakasam District.

10. The Engineer-In-Chief (PH), A.P., Guntur shall take further necessary action in the matter, accordingly.

11. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y.SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-In-Chief (PH), A.P., Guntur.
Sri K.Rama Mohan Rao, Project Manager, APMDP & Executive Engineer,
PH Division, Ongole **- through** the ENC (PH), A.P., Guntur.

Copy to:
The Commissioner & Director of Municipal Administration, A.P., Guntur.
The G.A. (V&E) Department, A.P., Vijayawada.
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
The Commissioner, Ongole Municipal Corporation, Prakasam District.
MA&UD (C) Department.
SF / SCs.

//FORWARDED BY ORDER//

SECTION OFFICER.